



Definition of Synoptic Reporting

Synoptic reporting in surgical pathology is a style of reporting that has advantages for a variety of users of surgical pathology reports.¹⁻³ For pathologists, synoptic reporting can improve the completeness, accuracy, and ease of creating the report.⁴⁻¹² For clinicians, synoptic reports can make data extraction from the report both more rapid and more accurate.¹³⁻¹⁵ For researchers and cancer registrars, synoptic reporting also ensures that these data elements are amenable to scalable data capture, interoperability, and exchange, enabling the creation of structured data sets to facilitate research.

In order to help pathologists achieve these goals, the CAP has developed a list of specific features that define *synoptic* report formatting for accreditation compliance. These include:

1. All required data elements outlined on the currently applicable surgical case summary from the cancer protocol that are included in the report must be displayed in synoptic format
 - Synoptic reporting is defined by the data element followed by its answer (response), e.g., "Tumor size: 5.5 cm." Outline format without the paired "data element: response" format is not considered synoptic.
 - The data element does not have to be identical (i.e., verbatim) to that listed in the CAP protocol and may be rephrased (e.g., for conciseness) as long as the intended meaning remains clear.
 - Multiple related elements can be combined into a single data entry, as long as the individual responses can be distinguished by the reader and as long as the intended meaning remains clear. Examples include but are not limited to:
 - Anatomic site or specimen, laterality, and procedure
 - Pathology Staging Tumor Node Metastasis (pTNM) staging elements
 - Negative margins, as long as all negative margins are specifically enumerated where applicable
 - Tumor type and grade
 - All parts of grade (e.g. "Gleason grade: 3+4 = 7 (Group 3)")
 - Breast tubule formation, nuclear pleomorphism, and mitotic rate
 - All portions of an ancillary study result (e.g. "Estrogen receptor: Positive, 100% of cells, strong")
 - Positive cores/total cores
 - Positive lymph nodes/total lymph nodes
 - Size (when giving more than one dimension)
 - Required data elements may be listed in any order
 - Additional methods may be used in order to enhance or achieve visual separation such as use of headers, indentations, or bolding and/or font variations
 - Additional items may be added within the synoptic report as needed
 - Required elements may appear in a summary format elsewhere in the report IN ADDITION TO but not as replacement for the synoptic report (i.e., all required elements must be in the synoptic portion of the report in the format defined above)
 - Wording of the responses is at the discretion of the reporting pathologist

Within this framework a variety of different formats are allowed. Specifically, pathologists may choose to have two separate columns for data elements and responses (may be easier to read or preferred by clinicians) or may left justify the responses. Responses can be on the same line (may be easier to read or on the following line/s). Pathologists may also choose to add additional formatting items, including Bolding/italics or indentation to increase the readability of the report. Pathologists may also choose to add additional formatting to improve natural language parsing. In some cases, the pathologist may want to include a substantial amount of information as a response, and this may be referenced using the phrase "see note". Pathologists may use a list with filled-in checkboxes for their responses, but this is discouraged since this may easily be misread by a clinician.

The CAP has developed a few examples of synoptic reporting (attached) for the use as training tools for inspectors. Sample reports 1-7 are examples of acceptable synoptic reporting; Sample reports 8 and 9 do not show acceptable synoptic style reporting. Please refer to the specific CAP cancer protocol for further information concerning requirements for accreditation purposes.

College of American Pathologists

Synoptic Report Example #1

THYROID CARCINOMA

Procedure:	Total thyroidectomy
Tumor Focality:	Single focus
Tumor Site:	Right lobe
Tumor Size:	2.3 cm
Histologic Type:	Papillary carcinoma, NOS
Margins:	Uninvolved by carcinoma
Angioinvasion:	None
Lymphatic Invasion:	Equivocal
Extra-thyroidal Extension:	Not identified
Lymph nodes, # involved:	0
Lymph nodes, # sampled:	3
Lymph nodes, levels:	Level VII
Extranodal Extension:	Not identified
Pathologic Stage Classification (AJCC 8):	pT2 pN0a

<http://www.cap.org/ShowProperty?nodePath=/UCMCon/Contribution%20Folders/WebContent/pdf/cp-thyroid-17protocol-4000.pdf>

Synoptic Report Example #2

CARCINOMA OF THE COLON OR RECTUM

TUMOR SUMMARY:	Colon
Procedure:	Left hemicolectomy
Tumor Site:	Left (descending) colon
Tumor Size:	6 cm
Tumor Perforation:	Not identified
Histologic Type:	Adenocarcinoma
Grade:	Grade 2/4, Moderately differentiated
Extent:	Invades pericolic adipose tissue
Margins:	Free, 2cm radial
Treatment effect, primary site:	No prior treatment
Lymphovascular invasion:	Cannot be determined
Perineural invasion:	Not identified
Tumor deposits:	Not identified
Lymph nodes, # sampled:	24
Lymph nodes, # involved:	1
Stage (AJCC 8):	pT3 pN1a

<http://www.cap.org/ShowProperty?nodePath=/UCMCon/Contribution%20Folders/WebContent/pdf/cp-colon-17protocol-4001.pdf>

College of American Pathologists

Synoptic Report Example #3

CARCINOMA OF THE PROSTATE

ADDED "1" TO IMPROVE NATURAL LANGUAGE PARSING

Procedure:	Radical Prostatectomy
Histologic type:	Adenocarcinoma
Gleason primary pattern:	Grade 4
Gleason secondary pattern:	Grade 3
Gleason tertiary pattern:	Not applicable
Gleason score:	Score 7
Grade group:	Group 3
Tumor size:	100 mm
Extraprostatic extension:	Not identified
Urinary bladder neck invasion:	Not identified
Seminal vesicle invasion:	Not identified
Margins:	Positive, focal, left posterior
Treatment effect, primary site:	None
Regional lymph nodes:	No lymph nodes submitted or found
Stage (AJCC 8):	mpT2 pNX

<http://www.cap.org/ShowProperty?nodePath=/UCMCon/Contribution%20Folders/WebContent/pdf/cp-prostate-17protocol-4010.pdf>

Synoptic Report Example #4

CARCINOMA OF THE PROSTATE

GRADES COMBINED ON TWO LINES

TUMOR SUMMARY:	Prostate, prostatectomy
Procedure:	Radical Prostatectomy
Type:	Adenocarcinoma
Grade:	Gleason grade 3+4 = 7 (Group 3)
Gleason tertiary pattern:	Not applicable
Tumor size:	at least 1.1 cm as measured from the glass slide
Extraprostatic extension:	None
Urinary bladder neck invasion:	None
Seminal vesicle invasion:	None
Margins:	Positive, focal, left posterior
Treatment effect, primary site:	None
Lymph nodes, # sampled:	0
Stage (AJCC 8):	mpT2 pNX

<http://www.cap.org/ShowProperty?nodePath=/UCMCon/Contribution%20Folders/WebContent/pdf/cp-prostate-17protocol-4010.pdf>

College of American Pathologists

Synoptic Report Example #5

This example combines specimen, laterality, and procedure on one line, as allowed

DUCTAL CARCINOMA IN SITU OF THE BREAST

Specimen, Laterality, Procedure: Partial breast, right, excision without wire-guided localization

Estimated size of DCIS: at least 380 mm

Histologic Type: Ductal carcinoma in situ

Architectural Patterns: Solid

Nuclear Grade: Grade II (intermediate)

Necrosis: Present, focal

Margins: Margin(s) uninvolved by DCIS

Distance from closest margin: 4 mm

Specify closest margins: Superior

Regional Lymph Nodes: No lymph nodes submitted or found

Pathologic Staging (pTNM)

Primary Tumor (pT): pTis (DCIS)

Regional Lymph Nodes (pN): pNX

<http://www.cap.org/ShowProperty?nodePath=/UCMCon/Contribution%20Folders/WebContent/pdf/cp-breast-dcis-17protocol-4000.pdf>

College of American Pathologists

Synoptic Report Example #6

LEFT BREAST MASTECTOMY:

Procedure:

Total mastectomy (including nipple and skin)

Specimen Laterality:

Left

Tumor Size:

Greatest dimension of largest focus of invasion >1MM: 3.5 mm

Histologic Type:

Invasive ductal carcinoma (no special type or otherwise specified)

Histologic Grade:

Glandular (Acinar) / Tubular Differentiation:

Score 2

Nuclear Pleomorphisim:

Score 1

Mitotic Rate:

Score 1

Overall Grade:

Grade 1

Tumor Focality:

Single focus of invasive carcinoma

DCIS:

No DCIS present in specimen

Invasive Carcinoma Margins:

Margins uninvolved by invasive carcinoma

Distance from closest margin: 25mm

Closest Uninvolved Margin: Deep

Lymph Nodes:

Uninvolved by tumor cells

Total number of nodes examined (sentinel and nonsentinel): 13

Number of sentinel lymph nodes examined: 3

Treatment Effect:

No known presurgical therapy

Primary Tumor (pT):

pT1a

Regional Lymph Nodes (pN):

pN0

Estrogen and Progesterone Receptors:

Previously performed

(HER2) ERBB2 Status:

Previously performed

<http://www.cap.org/ShowProperty?nodePath=/UCMCon/Contribution%20Folders/WebContent/pdf/cp-breast-invasive-17protocol-4000.pdf>

College of American Pathologists

Synoptic Report Example #7

This example uses the CAP Cancer Checklist, as allowed

Gastrointestinal Stromal Tumor (GIST)

Based on AJCC/UICC TNM, 8th edition

Procedure

Local excision

Resection

Specify type (eg, partial gastrectomy): total gastrectomy _____

Metastasectomy

Other (specify): _____

Not specified

Tumor Site

Specify (if known): gastric body _____

Not specified

Tumor Size

Greatest dimension: 5.3 cm

*Additional dimensions: 4.8 x 4.5 cm

Cannot be determined (see "Comment")

Tumor Focality

Unifocal

Multifocal

Specify number of tumors: _____

Specify size of tumors: _____

Histologic Subtype

Gastrointestinal stromal tumor, spindle cell type

Gastrointestinal stromal tumor, epithelioid type

Gastrointestinal stromal tumor, mixed

Gastrointestinal stromal tumor, other (specify): _____

Mitotic Rate

Specify: 2 /5 mm²

*Necrosis

* Not identified

* Present

*Extent: _____%

* Cannot be determined

Histologic Grade

GX: Grade cannot be assessed

G1: Low grade; mitotic rate $\leq 5/5$ mm²

G2: High grade; mitotic rate $> 5/5$ mm²

Risk Assessment

None

Very low risk

Low risk

College of American Pathologists

- Moderate risk
- High risk
- Overtly malignant/metastatic
- Cannot be determined None

Margins

- Cannot be assessed
- Uninvolved by GIST
 - Distance of tumor from closest margin (millimeters or centimeters): ___ mm or ___ cm
 - Specify margin (if known): _____
- Involved by GIST
 - Specify margin(s) (if known): _____

Regional Lymph Nodes (Note D)

- No lymph nodes submitted or found

Lymph Node Examination (required only if lymph nodes are present in specimen)

- Number of Lymph Nodes Involved: _____
- Number cannot be determined (explain): _____

- Number of Lymph Nodes Examined: _____
- Number cannot be determined (explain): _____

Pathologic Stage Classification (pTNM, AJCC 8th Edition) (Note G)

Note: Reporting of pT, pN, and (when applicable) pM categories is based on information available to the pathologist at the time the report is issued. Only the applicable T, N, or M category is required for reporting; their definitions need not be included in the report. The categories (with modifiers when applicable) can be listed on 1 line or more than 1 line.

TNM Descriptors (required only if applicable) (select all that apply)

- m (multiple)
- r (recurrent)
- y (posttreatment)

Primary Tumor (pT)

- pTX: Primary tumor cannot be assessed
- pT0: No evidence of primary tumor
- pT1: Tumor 2 cm or less
- pT2: Tumor more than 2 cm but not more than 5 cm
- pT3: Tumor more than 5 cm but not more than 10 cm
- pT4: Tumor more than 10 cm in greatest dimension

Regional Lymph Nodes (pN) (Note D)

- pN0: No regional lymph node metastasis or unknown lymph node status
- pN1: Regional lymph node metastasis

Distant Metastasis (pM) (Note D) (required only if confirmed pathologically in this case)

- pM1: Distant metastasis
 - Specify site(s), if known: _____

+ Additional Pathologic Findings

- + Specify: _____

College of American Pathologists

Ancillary Studies (Note E)

Note: For molecular genetic and further immunohistochemical study reporting, the CAP GIST Biomarker Template should be used. Pending biomarker studies should be listed in the Comments section of this report.

Immunohistochemical Studies

- KIT (CD117)
 - Positive
 - Negative
- DOG1 (ANO1)
 - Positive
 - Negative
- Other (specify): _____
- Pending
- Not performed

+ Molecular Genetic Studies (eg, KIT, PDGFRA, BRAF, SDHA/B/C/D, or NF1 mutational analysis)

- + Submitted for analysis; results pending
- + Performed, see separate report: _____
- + Performed
 - + Specify method(s) and results: _____
- + Not performed

+ **Preresection Treatment (select all that apply)**

- + No known preresection therapy
- + Previous biopsy or surgery (specify): _____
- + Systemic therapy performed (specify type): _____
- + Therapy performed, type not specified
- + Not specified

Treatment Effect (Note F)

- No known presurgical therapy
- Not identified
- Present
 - + Specify percentage of viable tumor: ____%
- Cannot be determined

+ **Comment(s)**

<http://www.cap.org/ShowProperty?nodePath=/UCMCon/Contribution%20Folders/WebContent/pdf/cp-gist-17protocol-4001.pdf>

College of American Pathologists

Unacceptable Synoptic Report Example #8

COLON

Diagnosis:

Colon, right hemicolectomy:

Invasive adenocarcinoma, 3.4 x 3.0 cm involving muscularis propria

All margins negative

No lymphatic invasion

No metastatic tumor identified

**NOT ACCEPTABLE AS SYNOPTIC STYLE REPORTING:
NOT ALL ELEMENTS ARE PRESENT AND DIAGNOSTIC PARAMETER PAIR
IS ABSENT**

Unacceptable Synoptic Report Example #9

Kidney

Diagnosis:

Kidney, Left (Radical Nephrectomy):

Clear cell adenocarcinoma, Furhman nuclear grade 3, 8.3 cm, unifocal involving upper pole of kidney and extending into the renal vein with the renal vein margin positive. Sarcomatoid features not identified.

No lymph nodes submitted, adrenal gland uninvolved, lymphatic invasion present, no venous large vessel invasion, pT3, Nx. No significant pathologic alterations identified.

**NOT ACCEPTABLE AS SYNOPTIC STYLE REPORTING:
ALTHOUGH ALL REQUIRED ELEMENTS ARE PRESENT, DIAGNOSTIC
PARAMETER PAIR IS ABSENT**

College of American Pathologists

References

1. College of American Pathologists. Resources & Publications: Cancer Protocols www.cap.org/cancerprotocols.
2. Ellis DW, Srigley J. Does standardised structured reporting contribute to quality in diagnostic pathology? The importance of evidence-based datasets. *Virchows Arch*. 2016 Jan;468(1):51-59.
3. Srigley JR, McGowan T, Maclean A, Raby M, Ross J, Kramer S, Sawka C. Standardized synoptic cancer pathology reporting: a population-based approach. *J Surg Oncol*. 2009 Jun 15;99(8):517-524.
4. Kang HP, Devine LJ, Piccoli AL, Seethala RR, Amin W, Parwani AV. Usefulness of a synoptic data tool for reporting head and neck neoplasms based on the College of American Pathologists cancer checklists. *Am J Clin Pathol*. 2009;132(4):521-530.
5. Idowu MO, Bekeris LG, Raab S, Ruby SG, Nakhleh RE. Adequacy of surgical pathology reporting of cancer: a College of American Pathologists Q-Probes study of 86 institutions. *Arch Pathol Lab Med*. 2010 Jul;134(7):969-974.
6. Messenger DE, McLeod RS, Kirsch R. What impact has the introduction of a synoptic report for rectal cancer had on reporting outcomes for specialist gastrointestinal and nongastrointestinal pathologists? *Arch Pathol Lab Med*. 2011 Nov;135(11):1471-1475.
7. Karim RZ, van den Berg KS, Colman MH, McCarthy SW, Thompson JF, Scolyer RA. The advantage of using a synoptic pathology report format for cutaneous melanoma. *Histopathology*. 2008 Jan;52(2):130-138.
8. Lam E, Vy N, Bajdik C, Strugnell SS, Walker B, Wiseman SM. Synoptic pathology reporting for thyroid cancer: a review and institutional experience. *Expert Rev Anticancer Ther*. 2013 Sep;13(9):1073-1079.
9. Valenstein PN. Formatting pathology reports: applying four design principles to improve communication and patient safety. *Arch Pathol Lab Med*. 2008;132(1):84-94.
10. Renshaw MA, Renshaw SA, Mena-Allauca M, Carrion PP, Mei X, Narciandi A, Gould EW, Renshaw AA. Performance of a web based method for generating synoptic reports. *J Pathol Inform*. 2017;8:13.
11. Renshaw MA, Gould EW, Renshaw A. Just say no to the use of no: alternative terminology for improving anatomic pathology reports. *Arch Pathol Lab Med*. 2010 Sep;134(9):1250-1252.
12. Renshaw SA, Mena-Allauca M, Touriz M, Renshaw A, Gould EW. The impact of template format on the completeness of surgical pathology reports. *Arch Pathol Lab Med*. 2014 Jan;138(1):121-124.
13. Renshaw AA, Mena-Allauca M, Gould EW. Reporting Gleason grade/score in synoptic reports of radical prostatectomies. *J Pathol Inform*. 2016;7:54.
14. Strickland-Marmol LB, Muro-Cacho CA, Barnett SD, Banas MR, Foulis PR. College of American Pathologists Cancer Protocols: Optimizing Format for Accuracy and Efficiency. *Arch Pathol Lab Med*. 2016 Jun;140(6):578-587.
15. Renshaw AA, Gould EW. Comparison of accuracy and speed of information identification by non-pathologists in synoptic reports with different formats. *Arch Pathol Lab Med*. 2017;141:418-422.